



**SUNRISE**  
MEDICAL.

**QUICKIE® Life**

Pantað fyrir:

Þjálfari:



Vörunúmer: **SUNN07200101**

- = Standard
- = No cost option
- = Cost option

Hámarksþyngd notanda: **140 kg**

Þyngd notanda  kg

**Mælingar fyrir notanda (öll mál án sessu)**

Setbreidd - measured from outside frame tube to outside frame tube (cm)

36	38	40	42	44	46	48	50	52	54
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Setdýpt - measured in mm

36	38	40	42	44	46	48	50
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stuttur rammi		Medium rammi			Langur rammi		

Fremri sethæð: ræðst af vali snúningshjóra (stærð) og lengd ramma

**Fremri sethæð í cm**

		Framgafflar (mm)													
		40	42	43	44	45	46	47	48	49	50	51	52	53	54
4"	Hemi Version	<input type="checkbox"/>	<input type="checkbox"/>												
	Aluminium (143 mm)			<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
	Aluminium (168 mm)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>			
5"	Hemi Version	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
	Aluminium (143 mm)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
	Aluminium (168 mm)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>		
6"	Hemi Version			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>									
	Aluminium (143 mm)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
7"	Aluminium (168 mm)								<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Hemi version only with SA frame

Aftari sethæð: ræðst af stærð drifhjóra

**Aftari sethæði í cm**

Drifhjól	40	41	42	43	44	45	46	47	48	49	50	51
22"	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
24"				<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
25"				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Aftari sethæð getur aðeins verið 0 - 13 cm neðar en valin fremri sethæð

### Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

#### Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair  
(approx. 1 - 2 cm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

#### Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between  
front edge of the seat upholstery and back of knee.  
(approx. 3 - 6 cm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

#### Front seat height:

- a) For the user: When sitting with 90° kneeangle:  
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.  
(min. 3 cm longer than user measurement)  
Remember to include the cushion height.

#### Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.  
Note: Max. seat height difference rear to front is 13 cm

#### Back height:

- a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.  
Note: The user's ability to sit upright has a major influence on the  
back height and it can therefore differ considerably

#### Back angle:

Important: The back height depends on the degree of disability.  
0° is the angle 90° to the ground. Negative angles are < 90°  
and positive angles are > 90°.

## Quickie Life

● = Standard    ○ = val    □ = aukakostnaður

### Setdúkur og sessur

#### Setdúkur

LFE020014 ● Nylon setdúkur

#### Jay sessur -val

JAY020002 □ JAY Basic

JAY020003 □ JAY Soft Combi P

JAY020001 □ JAY Easy Visco C

JAY020007 □ JAY Easy Fluid

JAY020004 □ JAY LITE

#### Mjaðmabelti með smellulæsingu

LFE090018 □ Mjaðmabelti með smellulæsingu

### Bakhvíla

#### Hæð bakhvílu

Bakhæð forstillt (cm)

	25-30	30-35	35-40	40-45	45-50
○	25	○ 30	○ 35	○ 40	○ 45
○	27,5	○ 27,5	○ 27,5	○ 27,5	○ 27,5
○	30	○ 35	○ 40	○ 45	○ 50

LFE030010 ● Bakhvíla föst (90°)

LFE030012 ● Bakhvíla vinkilstillanleg - merkið við forstillingu *(not with BH 500 mm)*  
 ○ 78°    ○ 82°    ○ 86°  
 ○ 90°    ○ 94°    ○ 98°    ○ 102°

#### Ökuhandföng

LFE030201 ○ Föst ökuhandföng löng

LFE030203 □ Föst ökuhandföng niðurfelk (1) *(only from back height 300 mm; from 350 mm with angle adj back)*

LFE030204 ● Ökuhandföng hæðarstillanleg (1) (2) *(only from back height 300 mm)*

#### Bólstrun á bakhvílu (black)

LFE030316 ● EXO bakdúkur, stillanlegur og bólstraður með vasa að aftan.  
 ● Svartur

LFE030317 □ EXO PRO bakdúkur, stillanlegur, bólstraður og loftanlegur með vasa að aftan.  
 ● Svartur

#### Aukahlutir á bakhvílu

LFE030402 □ Þverislá niðurfellanleg (1)

LFE030410 □ Höfuðstuðningur, hár, hæðar - dýptar og vinkilstillanlegur, 23 x 11 cm (1) (2) (3)

LFE030411 □ Höfuðstuðningur, medium, hæðar- dýptar og vinkilstillanlegur, 20x11 c (1) (2) (3)

(1): **Not in combination with backrest, half-folding (to the back)**  
 (2): **Not in combination backrest backrest, fold-down (to the front)**  
 (3): **Only with push handles height adjustable (LFE030204, LFE030205)**  
 (4): **Backheight 350-425mm with pushhandles fold down; 300.-375 mm with push handles lon**

For more information  
visit our webpage

[www.SunriseMedical.eu](http://www.SunriseMedical.eu)

## SEAT UPHOLSTERY AND CUSHIONS



Seat cushion, cover with zipper, black



Seat cushion, climate membrane water-resistant, cover with zipper, black



Lap belt with buckle, metal




Jay Basic  
(picture shown without upholstery)



Jay Soft Combi P  
(picture shown without upholstery)



Jay Easy Visco  
(picture shown without upholstery)



Jay Easy Fluid  
(picture shown without upholstery)



Jay Lite

## BACKREST



Angle adjustable back  
-12° to 12°



Push handles long



Fold down push



Height adjustable  
push handles



EXO  
backrest sling



EXO PRO  
backrest sling



Autofolding  
Stabilizer Bar

## Quickie Life

● = Standard    ○ = No cost option    □ = Cost option

### Armar og hliðarhlífur

#### Single Post armar

- LFE040050 ● Single post hæðarstillanlegir armar *(not in combination with sideguards; only with 0° and 1° camber)*
- Single-post armar, 25 cm langir armpúðar, hæðarstillanlegir og hægt að taka af.
- LFE040051 ● Single-post armar, 36 cm langir armpúðar, hæðarstillanlegir og hægt að taka af.

#### Desk sideguard armar (1)

- LFE040005 □ **Fyrir hemiplelegic:** Desk sideguard armar, hæðarstillanlegir, hægt að fella upp og taka af.
- LFE040145 □ Armpad for hemiplelegic XL (lengd: 54 cm, breidd: 13,5 cm), vinstri
- LFE040146 □ Armpad for hemiplelegic XL (lengd: 54 cm, breidd: 13,5 cm), hægri
- LFE040147 □ Armpad for hemiplelegic (lengd: 46 cm, breidd: 10,5 cm), vinstri
- LFE040148 □ Armpad for hemiplelegic (lengd: 46 cm, breidd: 10,5 cm), hægri
- LFE040002 □ Desk sideguard, armúðar (25 cm), hæðarstillanlegir, hægt að fella upp og taka af.
- LFE040004 □ Desk sideguard, armúðar (31 cm), hæðarstillanlegir, hægt að fella upp og taka af.

#### Hliðarhlífur - par *(not in combination with armrest)*

- LFE040107 □ Hliðarhlífur, hægt að kippa af, 21 cm hæð x 31 cm langir, svartar
- LFE040102 □ Hliðarhlífur, ál, með kanti og í sama lit og rammi hjólastóls. *(effective seat width is sw +20 mm)*
- LFE040103 □ Hliðarhlífur, ál, með kanti og skvettivörn, í sama lit og rammi á hjólastól. *(effective seat width is sw +20 mm)*
- LFE040104 □ Hliðarhlífur, carbon (léttar) með kanti og skvettivörn, svartar á litinn. *(effective seat width is sw +20 mm)*

### Borð

#### Rennt undir arma

- LFE090011 □ Tray, push-fit, SB 380-480 mm *(SW 380 mm to 480 mm)*

#### Borð hægt að fella niður

- LFE090012 □ Borð hægt að fella til hliðar, SB 34 - 60 cm, festist vinstra megin. *(only with desk armrest height adjustable)*
- LFE090013 □ Borð hægt að fella til hliðar, SB 34 - 60 cm, festist hægra megin. *(only with desk armrest height adjustable)*

### Rammi

- LFE010015 ● Frame SA (removable footrest)
- LFE090100 □ Flutningsfestingar

(1): **Not in combination with Half folding back < BH 400mm.**  
**Only in combination with 0° & 1° wheel camber; Fold down backrest only from BH 400 mm**

## ARMREST AND SIDEGUARDS



Single post height adjustable armrest Koma standard.



Single-post sideguard, depth adjustable, tool height-adjustable



Sideguard composite detachable



Sideguard carbon with fender



Sideguard alu with fender




Desk armrest, height adjustable, short armpad(25cm)



Desk armrest, fixed height, short armpad(25cm)



Desk armrest without armpad



Hemi armrest

## Frame



Life SA



Life FF 85°



Life FF 75°



Frame FF 85° (integrated footrest), inset (20 mm on each side), active

## Quickie Life

● = Standard    ○ = No cost option    □ = Cost option

### Pyngdarpunktur (COG) measured from front of back post; choose only one option

COG23	<input type="radio"/>	Centre of gravity 2,3 cm
COG43	<input checked="" type="radio"/>	Centre of gravity 4,3 cm
COG63	<input type="radio"/>	Centre of gravity 6,3 cm
COG83	<input type="radio"/>	Centre of gravity 8,3 cm

### Aukahlutir á ramma

#### Ástig (step tube) & hækjuhaldari (choose either tip assist or anti- tip tubes, not both)

LFE090001	<input checked="" type="radio"/>	Ástig vinstra megin
LFE090002	<input checked="" type="radio"/>	Ástig hægra megin
LFE090009	<input type="checkbox"/>	Hækjuhaldari <small>(only in combination with tip assist)</small>

#### Veltivörn, swing-away (choose either tip assist or anti- tip tubes, not both)

LFE090004	<input checked="" type="radio"/>	Velti vörn, swing away vinstri
LFE090005	<input type="checkbox"/>	Velti vörn, swing away hægri
LFE090006	<input type="checkbox"/>	Velti vörn, swing away par

### Fótbogir og fótplötur

#### Aluminum fótbogir

LFE050002	<input type="radio"/>	Fótbogir 70°
LFE050001	<input type="radio"/>	Fótbogir 80°
LFE050041	<input type="radio"/>	Fótbogir 90° <small>(not with 6", 7" castor)</small>

#### Lyftanlegar fótahvílur (ELR)

LFE050009	<input type="checkbox"/>	Lyftanlegar fótahvílur, flip up fótplötur (0° - 90°), hægt að slá til hliðar, vinstri <b>(1)</b>
LFE050010	<input type="checkbox"/>	Lyftanlegar fótahvílur, flip up fótplötur (0° - 90°), hægt að slá til hliðar, hægri <b>(1)</b>
pick both	<input type="checkbox"/>	Lyftanlegar fótahvílur, flip up fótplötur (0° - 90°), hægt að slá til hliðar, par <b>(1)</b> <small>✓ from SW 38</small>

#### Stúfpúði

LFE050014	<input type="checkbox"/>	Stúfpúði, vinstri
LFE050013	<input type="checkbox"/>	Stúfpúði, hægri
LFE050012	<input type="checkbox"/>	Stúfpúðar, par

#### Fótplata

LFE050020	<input checked="" type="radio"/>	Tvískiptar fótplötur, vinkilstillanlegar, flip up með hælbandi <small>(pair)</small>
LFE050050	<input type="checkbox"/>	Heil fótplata, vinkilstillanleg með hælbandi <small>(from LLL 360 mm)</small>
LFE050131	<input type="checkbox"/>	Heil fótplata, létt, vinkil og dýptarstillanleg með hælbandi
LFE050132	<input type="checkbox"/>	Heil fótplata, mjög létt úr carbon fibre, vinkil og dýptarstillanleg með fótbandi
LFE050127	<input type="checkbox"/>	Stillanlegur hliðarstuðningur við fótpall - gefur extra stuðning við fætur <small>(only in combination with Platform)</small>

**(1): Not in combination with platform & autofolding footplate**

**(2): Not in combination with ELR and SA frame**

## FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder



Anti-tip swing away

## FRAME ACCESSORIES



Aluminum hanger, 90°



Composite hanger 70°/80°



Elevating legrest



Amputee Support Pad



Platform footplate lightweight angle & depth adjustable composite flip up



Footboard platform, lightweight, carbon fibre, auto folding



Divided footplate composite



Divided footplate aluminum



Platform, angle and depth adjustable; flip up, aluminium with locking system



## Quickie Life

● = Standard    ○ = No cost option    □ = Cost option

### Lægri leggja lengd - LLL í cm (Athugið: LLL verður að vera 2,5 cm lægri en fremri sethæð)

- |                          |                          |                          |                          |                          |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="radio"/> 35 | <input type="radio"/> 36 | <input type="radio"/> 37 | <input type="radio"/> 38 | <input type="radio"/> 39 |
| <input type="radio"/> 41 | <input type="radio"/> 42 | <input type="radio"/> 43 | <input type="radio"/> 44 | <input type="radio"/> 45 |
| <input type="radio"/> 47 | <input type="radio"/> 48 | <input type="radio"/> 49 | <input type="radio"/> 50 |                          |

### Framgaffall

*(compare with your choice on the first page)*

LFE080029 ● Castor fork, Aluminium, black

### Snúningshjól

*(compare with your choice on the first page)*

LFE080301 ○ Snúningshjól massív

LFE080302 ○ Snúningshjól massív mjúk (breiðari)

*(only for 5" & 6" castors; max SH 520 mm)*

LFE080305 ○ Snúningshjól, loft

*(only for 6" & 7" castors)*

### Teinagjarðir

*(compare with your choice on the first page; choose only one wheel type)*

LFE070001 ○ Afturhjól, Universal, 36 teinar (silver)

*(only 22"/24")*

LFE070002 ○ Afturhjól, Design, 36 teinar (silver), beinir

*(only 24")*

LFE070003 □ Afturhjól, Léttar gjarðir, 24 teinar (silver), beinir

*(max. user weight: 125 kg)*

LFE070004 □ Afturhjól, Proton (mjög létt), 24 teinar (black), beinir

*(max. user weight: 100 kg)*

LFE070005 □ Afturhjól, Spinergy (létt), 18 teinar (black), beinir, drifhringir: silver

*(only 24"/25")*

LFE070008 □ Afturhjól, bremsur fyrir aðstoðarmann, 36 teinar

*(only 22"/24")*

LFE070009 □ Afturhjól, fjallahjóladekk gróft munstur, 36 teinar (silver), beinir

*(only 24")*

LFE070010 □ Fjallahjóladekk sem pöntuð eru með öðrum dekkjum til að skipta á milli

*(only 24")*

### Einnar handar drif

*(22" & 24"; only with stainless steel handrim, COG 43 mm; 0° camber) (1)*

LFE070401 □ Afturhjól, einnarhandardrif, 36 teinar, cross-spoked, vinstri stýring

LFE070402 □ Afturhjól, einnarhandardrif, 36 teinar, cross-spoked, hægri stýring

### Dekk

*(choose only one tyre type)*

LFE070101 ○ Dekk, loft, alveg slétt, Schwalbe Right Run

*(only 22"/24")*

LFE070102 ○ Dekk massív, munstruð.

*(25" only with Proton, lightweight wheel)*

LFE070106 □ Dekk, loft, Schwalbe Downtown Two Grip

*(only 24")*

LFE070107 ○ Dekk, loft, Schwalbe One

*(only 24"/25")*

LFE070104 □ Dekk, loft, puncture proof, Schwalbe Marathon Plus Evolution

*(only 24"/25")*

### Drifhringir

LFE070202 ○ Drifhringir ál

LFE070201 ○ Drifhringir ál með plasthúð, glær

LFE070207 □ Drifhringir með stömu gúmi...beta grip (Supergrip ®)

*(22" only with universal and drum brake wheels)*

LFE070208 □ Drifhringir, extra þykkir drifhringir, Maxgrepp ®

*(only 22"/24", only handrim mounting wide)*

LFE070211 □ Drifhringir, extra léttir, Surge ®

*(only 24"/25")*

### Festing drifhringja

LFE070307 □ super narrow (7 mm)

*(Only with 24" stainless steel and 24"/25" Surge)*

LFE070317 ● narrow (1,7 cm)

*(not with Maxgrepp)*

LFE070327 ○ wide (2,7 cm)

### Cömbrun dekkja

*(choose only one option; Armrests only with 0° & 1°)*

LFE070600 ● Camber 0°

LFE070601 □ Camber 1° LFE070603 □ Camber 3°

LFE070602 □ Camber 2° LFE070604 □ Camber 4°

(1) RSH for 22":400-450 mm; for 24": 420-470 mm; axle plate silver

## FORKS



Fork Aluminium,  
black, orange & silver

## REAR WHEELS



Universal cross spoked



Design wheel



Lightweight wheel



Spinergy wheel, 18 spokes



Drum brake wheel

## TYRES



Right Run Tyre



Solid Tyre



Marathon Plus  
Evolution



Supergrip



Max Grepp



Surge Handrim

## Quickie Life

● = Standard      ○ = No cost option      □ = Cost option

### Teinahlífar

(not with spinergy wheels, not with 25", not with mountainbike wheel)

LFE070831	<input type="checkbox"/>	Glærar						
LFE070824	<input type="checkbox"/>	Racing	LFE070801	<input type="checkbox"/>	Abstract	LFE070806	<input type="checkbox"/>	Chrome
LFE070822	<input type="checkbox"/>	Pool	LFE070820	<input type="checkbox"/>	Oriental	LFE070809	<input type="checkbox"/>	Dirt Race
LFE070811	<input type="checkbox"/>	Feather	LFE070817	<input type="checkbox"/>	Hot Wheels	LFE070802	<input type="checkbox"/>	Basketball
LFE070814	<input type="checkbox"/>	Graffiti	LFE070807	<input type="checkbox"/>	Creative	LFE070827	<input type="checkbox"/>	Silk
LFE070828	<input type="checkbox"/>	Space	LFE070812	<input type="checkbox"/>	Flying Water	LFE070803	<input type="checkbox"/>	Basketball 2

### Bremsur á drifhjól

(choose only one option)

LFE060001	<input type="radio"/>	Standard bremsa		
LFE060002	<input type="checkbox"/>	Knee-lever bremsa		
LFE060010	<input type="checkbox"/>	Bremsu framlenging fyrir knee lever bremsu, niðurfellanleg		
LFE060003	<input type="checkbox"/>	Compact bremsa		
LFE060015	<input type="checkbox"/>	Einnarhandar bremsa vinstri		
LFE060016	<input type="checkbox"/>	Einnarhandar bremsa hægri		

### Aukahlutir

LFE090000	<input checked="" type="radio"/>	Verkfærasett		
LFE090030	<input type="checkbox"/>	Bakpoki		

### Litir á ramma

02 Brilliant Silver	<input type="radio"/>
14 Blár	<input type="radio"/>
15 Brilliant Blár	<input type="radio"/>
22 Brilliant rauður	<input type="radio"/>
23 Matt rauður	<input type="radio"/>
28 Platinmetallic	<input type="radio"/>
29 Black	<input type="radio"/>

## WHEEL LOCKS



Knee lever wheel lock



Brake lever extension



Compact wheel lock



One arm wheel lock



Standard brake

## ACCESSORIES



Back pack



High pressure pump



Air pump

## ANODIZED COLOUR AXLE PLATE



Axle plate  
anodized, orange



Axle plate  
anodized, silver



Axle plate  
anodized, black

## 24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red

● = Standard

○ = No cost option

□ = Cost option

€

**COMMENTS FOR SPECIAL BUILD**



--

--